




THIN MAGNETIC LINE TRACK & WOVEN TRACK


48V




Woven track




Surface mounted track




Surface scraping track




Hoisting track



Embedded track



Soft membrane ceiling track



1、 DIVERSIFIED SPATIAL SCENE DESIGN

MT26 ULTRA-THIN SURFACE MOUNTED TRACK, BATCH ASH TRACK, EMBEDDED TRACK, HANGING TRACK, SOFT FILM TRACK,CAN BE USED INDEPENDENTLY FOR DESIGN SCENARIOS.

MT26 SOFT WOVEN TRACK, INDEPENDENT USE OF DESIGN SCENARIOS, FREE DESIGN.

MT26 ANY ALUMINUM TRACK AND SOFT WOVEN TRACK USED TOGETHER DESIGNING SCENARIOS,FREE DESIGN.

2、 ALL LAMPS OF MT26 SYSTEM CAN BE INSTALLED ON: ULTRA-THIN SURFACE MOUNTED TRACK, BATCH ASH TRACK, EMBEDDED TRACK, HANGING TRACK, SOFT FILM TRACK

MT26 LAMPS ARE INSTALLED ON 5 ALUMINUM TRACKS: THE LAMPS ARE DIRECTLY INSTALLED ON THE TRACKS.

MT26 LAMPS ARE INSTALLED ON FLEXIBLE WOVEN TRACKS: CONVERSION MODULES ARE ADDED TO THE LAMPS AND INSTALLED ON WOVEN TAPES.



48V

Woven track display scene





48V

Ultra-thin magnetic linear track display scene



Surface mounted track



Surface scraping track



Hoisting track



Embedded track



Soft membrane ceiling track

UT16



48V

Woven track combined with ultra-thin magnetic linear track display scene



Woven track



Surface mounted track



Surface scraping track



Hoisting track




Embedded track



Soft membrane ceiling track



Through the free collocation of various accessories to achieve the ideal lighting environment.




THINS MAGNETIC LINE TRACK
&
WOVEN TRACK

48V

A variety of accessories used in combination:
to achieve the ideal scene







WOVEN TRACK


In the lighting design, based on the use of traditional lines and tracks, get rid of the constraints in space design, expand the thinking of lighting designers to achieve unrestrained lighting display.

This is not only the effect of the lighting display, but also the brush of the lighting designer for the space lighting design, which is a set of flexible artworks!





WOVEN TRACK



Product Code:	尺寸/Product Size:
PD-10M	10000x16.5x3mm
PD-20M	20000x16.5x3mm

Watt:200W(Max)
Voltage:DC 48V
Material:Fabric+ Copper



黑色 Black



灰色 Gray



翠绿色 Green




卡其色 Khaki





鲜橙色 Orange

THINS Magnetic Line Track



**Woven track connection power box,
Can make a variety of linear track and braided track splice use.**

Woven track Installation accessories, combination introduction





Product Code:GDH
Name:Woven track connection power box

Feature

- 1. Track conductive conversion function
- 2. Braided track steering installation
- 3. Suitable for all kinds of tracks

Woven track Installation accessories, combination introduction





Product Code:PDYT
Name:Large fixed nodes

Feature

- 1. Conductive conversion function
- 2. Braided track steering installation
- 3. Suitable for ceiling, wall and ground installation

Woven track Installation accessories, combination introduction




Product Code:PDGK
Name:Small fixed nodes

Feature

Braided track holding adjuster bracket

Woven track Installation accessories, combination introduction







Product Code:PDSR
Name:Braid track input module

Feature

Braided track power supply module

Woven track Installation accessories, combination introduction




Product Code:PDDK
Name:Linker

Feature

The luminaire is connected to a woven track

Woven track Installation accessories, combination introduction



Product Code:SJK
Name:Woven buckle

Feature


The woven track can be used to shape at the end




Woven buckle can be used
in the rear end moulding of
large fixed nodes

Woven buckle can be used
in the rear end molding of
the luminaire mounting

Woven track Installation accessories, combination introduction



Recessed can be used in conjunction with Small fixed nodes




Product Code:PDQR
Name:Recessed

Feature

Holding adjuster bracket.

Woven track matching luminaire-Conical lamp



Product Code:PDMD330
Watt:18W
>CRI:Ra90
Voltage:48V
Product Size:Φ330x110mm
Material: aluminum + plastic

Color

- Black
- White

CCT

3000K/4000K/5700K

Beam angle

80°


System Options

- ON-OFF
- 2.4GHz
- mijia
- ZigBee



Note: This lamp can only be installed on the woven track

Woven track matching luminaire-Semicircular lamp



Product Code: PDTK300
Watt: 18W
>CRI: Ra90
Voltage: 48V
Product Size: 300x165mm
Material: aluminum + plastic

Color



CCT



Beam angle




System Options



Note: This lamp can only be installed on the woven track

Woven track matching luminaire-Poke ball



Product Code: PD-P95
Watt: 6W
>CRI: Ra90
Voltage: 48V
Product Size: Φ95x100mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options





48V

THINS
MAGNETIC
LINE
TRACK

6mm ultra-thin thickness



The track bar can be integrated into the non-main light solution for the post-installation and tooling market, the installation is simpler and more convenient, and the DIY splicing can be made by itself to create a more concise space aesthetic.

48V



THINS MAGNETIC LINE TRACK

6mm






Product Code:A
Voltage:48V
Color:Black / White
Material: aluminum
Specifications: 1000mm
1500mm
2000mm




Show:Surface
Part list:
surface track
power supply
wire hidden box
lamps
option:
different type connector



A-LV
90 degree vertical
splice



A-I
Direct splice






A-L
90 degree
horizontal
splice




A-T
T-shaped splice



A-+
+Cross splice



Product Code: B
Voltage: 48V
Color: Black / White
Material: aluminum
Specifications: 1000mm
1500mm
2000mm







Show: Embedded-batch ash

Part list:
batch ash track



Part list:
power supply
wire hidden box
lamps

option:
different type connector





Product Code:C
Voltage:48V
Color:Black / White
Material: aluminum
Specifications: 1000mm
2000mm
3000mm



Show: Suspendent

Part list:

Suspendent track
power supply
wire hidden box
lamps

option:

different type connector



C-L

90 degree horizontal splice



C-LV

90 degree vertical splice






ZJ

I type Two
vertical rails




RJ

Type L corner connector



Product Code:D
Voltage:48V
Color:Black / White
Material: aluminum
Specifications: 1000mm
2000mm
3000mm

Specifications:1m / 1.5m / 2m / 3m



Show:Embedded

Part list:

Rececd track


power supply

wire hidden box

lamps


option:

different type connector







Product Code: RM
Voltage: 48V
Material: aluminum
Specifications: 1000mm
2000mm
3000mm



Specifications: 1m / 1.5m / 2m / 3m



RM matching accessories



RM-DT



RM-L



RM-SPJG



RM-CZJG




RM-JG







RM-JM




RM-GJT





Product Code:A-LHX





Product Code:A-LV





Product Code:A-I





Product Code:A-L



Product Code:A-T





Product Code:A-+




DC 48V



Product Code:
100W-Transformer
200W-Transformer





Product Code:Cable hidden Box
Function:Hide exposed wires where you install them.




Product Code:SRMK
Function: When an external transformer is used, an input module is used to energize the track.




Product Code:ZJ
Function: When hoisting track or hidden track straight splicing, matching power.




Product Code:RJ
Function: When the hoisting track or concealed track uses corner splicing, it is equipped with power.



Match the accessories used in the scene




The magnetic luminaire is mounted directly on an ultra-thin magnetic linear track.



The magnetic luminaire with woven lamp buckle can be assembled on the woven track.

more...


Other lamps can be paired with woven lamp buckle, which can also be assembled on the woven track.



Surface mounted track





Woven track




The magnetic luminaire is mounted directly on an ultra-thin magnetic linear track.

The magnetic luminaire with woven lamp buckle can be assembled on the woven track.

1  Round spot light	2  Round spot light + light buckle	3  Floodlight	4  Floodlight + lamp buckle
5  Track light	6  Track light + lamp buckle	7  Glass bulb lamp	8  Glass bulb lamp + lamp buckle
9  Small fixed nodes	10  Large fixed nodes	11  Woven track connection power box	
12  Surface mounted track	13  Woven track	Match the accessories used in the scene	



Match the accessories used in the scene



- | | | |
|---|--|--|
| 1


Round spot light | 2

Round spot light + light buckle | 3

Floodlight |
| 4








Floodlight + lamp buckle | 5

Small fixed nodes | 6


Large fixed nodes |
| 7

Woven track connection power box | 8

Surface mounted track | 9

Woven track |




Match the accessories used in the scene



Match the accessories used in the scene

1




Small fixed nodes

2



Large fixed nodes

3




Braid track input module

4



Woven buckle

5




Glass bulb light + lamp buckle

6



Woven track



THINS MT26

Thins Magnetic Track







48V

Thins Magnetic Track


MORE...




6T 6W 122x26x24mm




12T 12W 230x26x24mm



18T 18W 338x26x24mm





24T 24W 445x26x24mm



30T 30W 555x26x24mm



Line Grille Light



Product Code:6T
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:122x26x24mm
Material: aluminum + plastic

Color




Black 色



White

CCT



Beam angle





24°

System Options



Line Grille Light



Product Code: 12T
Watt: 12W
>CRI: Ra90
Voltage: 48V
Product Size: 230x26x24mm
Material: aluminum + plastic

Color



Black



White

CCT



Beam angle





24°

System Options



Line Grille Light



Product Code:18T
Watt:18W
>CRI:Ra90
Voltage:48V
Product Size:338x26x24mm
Material: aluminum + plastic

Color



Black



White

CCT



Beam angle





24°

System Options



Line Grille Light



Product Code:24T
Watt:24W
>CRI:Ra90
Voltage:48V
Product Size:445x26x24mm
Material: aluminum + plastic

Color




Black



White

CCT



Beam angle





24°

System Options



Line Grille Light



Product Code:30T
Watt:30W
>CRI:Ra90
Voltage:48V
Product Size:555x26x24mm
Material: aluminum + plastic

Color



Black 色



White

CCT




Beam angle



24°

System Options








THINS

Thins Magnetic Track


MORE...




6F 5W 122x26x24mm




12F 10W 230x26x24mm



300F 10W 315x26x24mm






600F 20W 615x26x24mm



900F 30W 915x26x24mm



Line Floodlight




Product Code:6F
Watt:5W
>CRI:Ra90
Voltage:48V
Product Size:122x26x24mm
Material: aluminum + plastic

Color




Black 色



White

CCT



Beam angle






150°

System Options




Line Floodlight



Product Code:12F
Watt:10W
>CRI:Ra90
Voltage:48V
Product Size:230x26x24mm
Material: aluminum + plastic

Color




Black



White

CCT



Beam angle






150°

System Options



Line Floodlight



Product Code:300F
Watt:10W
>CRI:Ra90
Voltage:48V
Product Size:315x26x24mm
Material: aluminum + plastic

Color




Black



White

CCT



Beam angle






150°

System Options



Line Floodlight



Product Code:600F
Watt:20W
>CRI:Ra90
Voltage:48V
Product Size:615x26x24mm
Material: aluminum + plastic

Color



Black



White

CCT



Beam angle






150°

System Options



Line Floodlight



Product Code:900F
Watt:30W
>CRI:Ra90
Voltage:48V
Product Size:915x26x24mm
Material: aluminum + plastic

Color



Black



White

CCT



Beam angle




150°

System Options





Fold Grille Light



Product Code: ZD-6T
Watt: 6W
>CRI: Ra90
Voltage: 48V
Product Size: 122x26x80mm
Material: aluminum + plastic

Color



Black White

CCT



Beam angle





24°

System Options



Fold Grille Light



Product Code: ZD-12T
Watt: 12W
>CRI: Ra90
Voltage: 48V
Product Size: 230x26x80mm
Material: aluminum + plastic

Color



Black



White

CCT





Beam angle





24°

System Options



Fold Floodlight



Product Code: ZD-6F
Watt: 5W
>CRI: Ra90
Voltage: 48V
Product Size: 122x26x80mm
Material: aluminum + plastic

Color



Black White

CCT



Beam angle





150°

System Options



Fold Floodlight



Product Code: ZD-12F
Watt: 10W
>CRI: Ra90
Voltage: 48V
Product Size: 230x26x80mm
Material: aluminum + plastic

Color



Black White

CCT




Beam angle



150°

System Options






THINS


Thins Magnetic Track

(Die-casting) Fold Grille Light




Product Code: ZDYZ-6T
Watt: 10W
>CRI: Ra90
Voltage: 48V
Product Size: 122x26x80mm
Material: aluminum

Color



CCT




Beam angle



System Options




(Die-casting) Fold Grille Light



Product Code: ZDYZ-12T
Watt: 20W
>CRI: Ra90
Voltage: 48V
Product Size: 230x26x80mm
Material: aluminum

Color



CCT





Beam angle



System Options



(Die-casting) Fold Floodlight




Product Code: ZDYZ-6F
Watt: 10W
>CRI: Ra90
Voltage: 48V
Product Size: 122x26x80mm
Material: aluminum

Color



CCT





Beam angle



System Options



(Die-casting) Fold Floodlight



Product Code: ZDYZ-12F
Watt: 20W
>CRI: Ra90
Voltage: 48V
Product Size: 230x26x80mm
Material: aluminum

Color




Black



White

CCT



Beam angle



150°

System Options






THINS

Thins Magnetic Track

Round Spot Light




Product Code:Y80
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:Φ75x75mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Round Spot Light- adjustable



Product Code:YT80
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:Φ75x75mm
Material: aluminum + plastic


Color



Black

White

CCT




Beam angle



System Options




Square Spot Light




Product Code:F62
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:62x62x67mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options




Circular Spot Light




Product Code:Y62
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:Φ62x67mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options






THINS


Thins Magnetic Track

Ternary Spot Light




Product Code:3TY
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:122x26x55mm
Material: aluminum + plastic

Color



CCT



Beam angle



System Options






THINS

Thins Magnetic Track

Track Light




Product Code:T44
Watt:9W
>CRI:Ra90
Voltage:48V
Product Size:44x110mm
Material: aluminum + plastic

Color



Black White

CCT



Beam angle





24°

System Options



Track Light- Double



Product Code:T44-2
Watt:9Wx2
>CRI:Ra90
Voltage:48V
Product Size:44x110mm
Material: aluminum + plastic

Color




Black



White

CCT




Beam angle




24°

System Options



Track Light




Product Code:T55
Watt:18W
>CRI:Ra90
Voltage:48V
Product Size:55x135mm
Material: aluminum + plastic

Color



Black White

CCT



Beam angle



24°

System Options







THINS

Thins Magnetic Track


MORE...




035 6W



045 10W



055 18W



065 24W

CCT

3000K/4000K/5700K

Beam angle

24°

36°

System Options

ON-OFF


2.4GHz

mijia

ZigBee


DALI

Track Light




Product Code:035
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:35x80mm
Material: aluminum + plastic


Color



CCT




Beam angle



System Options




Track Light




Product Code:045
Watt:10W
>CRI:Ra90
Voltage:48V
Product Size:45x100mm
Material: aluminum + plastic


Color



CCT




Beam angle



System Options




Track Light




Product Code:055
Watt:18W
>CRI:Ra90
Voltage:48V
Product Size:55x120mm
Material: aluminum + plastic


Color



CCT




Beam angle



System Options




Track Light




Product Code:065
Watt:24W
>CRI:Ra90
Voltage:48V
Product Size:55x120mm
Material: aluminum + plastic


Color



CCT



Beam angle



System Options






THINS

Thins Magnetic Track

U- Track Light



Product Code:U045
Watt:12W
>CRI:Ra90
Voltage:48V
Product Size:45x110mm
Material: aluminum

Color



Black



White

CCT



Beam angle



24°

System Options



ON-OFF




2.4GHz



ZigBee

U- Track Light



Product Code:U055
Watt:18W
>CRI:Ra90
Voltage:48V
Product Size:55x130mm
Material: aluminum

Color

- Black
- White

CCT

- 3000K/4000K/5700K


Beam angle

- 24°

System Options

- ON-OFF
- 2.4GHz
- mija
- ZigBee

Track type - soft light




Product Code: Z90
Watt: 9W



180°

Track type - floodlight




Product Code: B90
Watt: 9W



150°

Track type - grille spotlight



Product Code: G90
Watt: 9W



24°

>CRI: Ra90

Voltage: 48V

Color



Black



White

CCT




3000K/4000K/5700K

System Options



Track Light- Soft light




Product Code: Z90
Watt: 9W
>CRI: Ra90
Voltage: 48V
Product Size: 95x40mm
Material: aluminum + plastic

Color



CCT



Beam angle




180°

System Options



Track Light-Floodlight




Product Code: B90
Watt: 9W
>CRI: Ra90
Voltage: 48V
Product Size: 95x30mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Track Light- Grille Light



Product Code:G90
Watt:9W
>CRI:Ra90
Voltage:48V
Product Size:95x30mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Track type -glass ball



Product Code: B80
Watt: 6W
>CRI: Ra90
Voltage: 48V
Product Size: Φ80x115mm
Material: Aluminum+Glass

Color



CCT




Beam angle



System Options



Track Bowling Light




Product Code: Q80
Watt: 10W
>CRI: Ra90
Voltage: 48V
Product Size: Φ80x148mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Track type - round soft light




Product Code:100F
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:100x100mm
Material: aluminum + plastic

Color



CCT



Beam angle




System Options




Track type -Earth/Moon

Glass ball




Product Code:BL150
Watt:9W

Moon



Product Code:GDY150
Watt:6W

Earth



Product Code:GDD150
Watt:6W

>CRI:Ra90


Voltage:48V

Beam angle



360°


CCT



System Options



Track Light-Glass Ball




Product Code:BL150
Watt:9W
>CRI:Ra90
Voltage:48V
Product Size:150x150mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Track Light-Moon



Product Code:GDY150
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:150x150mm
Material: aluminum + plastic

Color




Black



White

CCT



Beam angle



360°

System Options



ON-OFF




2.4GHz



ZigBee

Track Light- Earth




Product Code:GDD150
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:150x150mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Track Light- Ball Light




Product Code:P95
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:Φ95mm
Material: aluminum

Color



CCT




Beam angle



System Options



Track type reading light



Product Code:YDL20
Watt:3W
>CRI:Ra90
Voltage:48V
Product Size:Φ20x60mm
Material: aluminum

Color




Black



White

CCT



Beam angle



24°

System Options



ON-OFF





2.4GHz



ZigBee

Eclipse wall Light



Product Code:YSBD
Watt:9W
>CRI:Ra90
Voltage:48V
Product Size:Φ168x48mm
Material: aluminum + plastic

Color




Black



White

CCT



Beam angle



80°

System Options



ON-OFF



2.4GHz




ZigBee



THINS

Thins Magnetic Track

Hoisting-round soft light




Product Code:D100F
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:100x100mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Hoisting-Straight cylinder



Product Code:D300
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:30x300mm
Material: aluminum + plastic

Color



Black



White

CCT



Beam angle



24°

System Options



ON-OFF





2.4GHz



ZigBee

Hat top chandelier



Product Code: MD90
Watt: 6W
>CRI: Ra90
Voltage: 48V
Product Size: Φ90x72mm
Material: aluminum + plastic

Color




Black



White

CCT



Beam angle



24°

System Options



ON-OFF



2.4GHz



ZigBee

Planet chandelier

Glass ball



Product Code:DBL150

Watt:9W

Moon



Product Code:DY150

Watt:6W

Earth



Product Code:DD150

Watt:6W

>CRI:Ra90

Voltage:48V

Beam angle



360°



CCT



System Options



Hoisting-glass ball



Product Code:DBL150
Watt:9W
>CRI:Ra90
Voltage:48V
Product Size:150x150mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Planet chandelier - Moon



Product Code: DY150
Watt: 6W
>CRI: Ra90
Voltage: 48V
Product Size: 150x150mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Planet chandelier - Earth



Product Code:DD150
Watt:6W
>CRI:Ra90
Voltage:48V
Product Size:150x150mm
Material: aluminum + plastic

Color



Black



White

CCT



Beam angle




360°

System Options



Suspended spherical Light




Product Code: DP95
Watt: 6W
>CRI: Ra90
Voltage: 48V
Product Size: Φ95mm
Material: aluminum

Color



CCT



Beam angle



System Options






THINS

Thins Magnetic Track

Suspended hose - floodlight



柔软/Soft



Specifications: 500mm 1000mm 1500mm
2000mm 3000mm 4000mm

Product Code: GJ
Watt: 8W - 80W
>CRI: Ra90
Voltage: 48V
Product Size: 500mm - 4000mm
Material: aluminum + plastic

Color



CCT



Beam angle



系统选配/System Options







THINS

Thins Magnetic Track


MORE...



Product Code:SS300F
Watt:10W



Product Code:SS600F
Watt:20W



Product Code:SS900F
Watt:30W



Color



CCT




Beam angle



System Options



Stick - floodlight



Product Code:SS300F
Watt:10W
>CRI:Ra90
Voltage:48V
Product Size:300x25x87mm
Material: aluminum + plastic

Color



CCT





Beam angle



System Options



Stick - floodlight



Product Code:SS600F
Watt:20W
>CRI:Ra90
Voltage:48V
Product Size:600x25x87mm
Material: aluminum + plastic

Color



CCT




Beam angle



System Options



Stick - floodlight



Product Code:SS900F
Watt:30W
>CRI:Ra90
Voltage:48V
Product Size:900x25x87mm
Material: aluminum + plastic

Color



CCT



Beam angle



System Options







THINS MAGNETIC LINE TRACK & WOVEN TRACK