



TRACK 48V SYSTEM
TRACK 48V SYSTEM
TRACK 48V SYSTEM
TRACK 48V SYSTEM
TRACK 48V SYSTEM
TRACK 48V SYSTEM
TRACK 48V SYSTEM
TRACK 48V SYSTEM

Zhongshan Besen Technology Co., LTd

www.besenledlight.com

sales10@besenled.com

+86-13924943006


PRODUCT
CATALOGUE

Company profile

Besen technology co.,ltd focus on led linear light since 2012., We are a modern lighting eterprise Featuring R&D, production, sales and services. Our core products are series of self-developed high level LED commercial lighting products.

Our vision

is to use our products as a carrier, to meet and even create demands, and ultimately enhance customers' quality of life



15 SERIES



M15-Luxe




M15-Glow




M15-Beam



M15-Pulse



M15-Aurora




M15-Aurora



M15-Aurora



M15-Nova



M15-Boling



M15-Tube




M15-Neo




M15-Orbit



M15-Rayne



M15-Luxe



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options	
M15-DFS-300	10W	3/4/5000K	Ra90	48V	700lm	305x16.5x44	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia	
M15-DFS-600	20W	3/4/5000K	Ra90	48V	1400lm	605x16.5x44	□ WH		
M15-DFS-900	30W	3/4/5000K	Ra90	48V	2100lm	905x16.5x44			
M15-DFS-1200	40W	3/4/5000K	Ra90	48V	2800lm	1205x16.5x44			


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M15-Glow



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options	
M15-DFS-90D	20W	3/4/5000K	Ra90	48V	1400lm	313x328x44	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia	
M15-DFS-90IN	20W	3/4/5000K	Ra90	48V	1400lm	340x340x44	□ WH		


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M15-Beam



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-LB-12W	12W	3/4/5000K	Ra90	48V	960lm	205x16.5x44	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M15-LB-18W	18W	3/4/5000K	Ra90	48V	1440lm	305x16.5x44	□ WH	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M15-Pulse



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-LBF2-6W	6W	3/4/5000K	Ra90	48V	480lm	118x16x108	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M15-LBF2-12W	12W	3/4/5000K	Ra90	48V	960lm	233x16x110	□ WH	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M15-Aurora



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-TL2-3W	3W	3/4/5000K	Ra90	48V	220lm	Ø30x110x147	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M15-TL2-5W	5W	3/4/5000K	Ra90	48V	380lm	Ø30x160x147	□ WH ■ BR	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M15-Aurora



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-TL2-7W	7W	3/4/5000K	Ra90	48V	560lm	Ø45x143x147	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M15-TL2-12W	12W	3/4/5000K	Ra90	48V	960lm	Ø45x183x147	□ WH ■ BR	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M15-Aurora



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-TL2-16W	16W	3/4/5000K	Ra90	48V	1280lm	Ø60x162x147	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M15-TL2-20W	20W	3/4/5000K	Ra90	48V	1600lm	Ø60x200x147	□ WH ■ BR	0-10V, Bluetooth, Zigbee, Mijia


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M15-Nova



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-PST-8W	8W	3/4/5000K	Ra90	48V	640lm	Ø42x151x147	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M15-PST-8Wx2	8W	3/4/5000K	Ra90	48V	1440lm	Ø42x260x147	□ WH ■ BR	0-10V, Bluetooth, Zigbee, Mijia


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M15-Boling



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-BL	10W	3/4/5000K	Ra90	48V	800lm	Ø100x167x147	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M15-BL2	10W	3/4/5000K	Ra90	48V	800lm	Ø100x1000x147	□ WH ■ GD	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M15-Tube



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-FM-9W	9W	3/4/5000K	Ra90	48V	720lm	Ø50x500x147	■ BK □ WH	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia


Beam angle




Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M15-Neo




Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-TB-300	6W	3/4/5000K	Ra90	48V	600lm	302xØ27.7x147	■ BK	No Dim, Dali, 0-10V,
M15-TB-600	12W	3/4/5000K	Ra90	48V	1200lm	602xØ27.7x147	□ WH	Bluetooth, Zigbee, Mijia




Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M15-Orbit




Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-HD-12W	12W	3/4/5000K	Ra90	48V	860lm	Ø50x172x147	■ BK	No Dim, Dali, 0-10V,
							□ WH	Bluetooth, Zigbee, Mijia
							■ BR	




Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M15-Rayne




Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-MB0-A	12W	3/4/5000K	Ra90	48V	960lm	Ø100x134.3x148	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M15-MB0-B	12W	3/4/5000K	Ra90	48V	960lm	Ø100x1000x148	□ WH ■ GD	




Notes:
*For other options special request, please contact us.
For the most updated product information, please go to our website.


IP20 CE ROHS




M15-R15-1
Size: L1000*W47.7*H47.7mm



M15-R15-2S
Size: L1000*W60*H52.1mm



M15-R15-5
Size: L1000*W60*H47.1mm



M15-R15-2A
Size: L1000*W60*H47.1mm



M15-R15-4
Size: L1000*W33.8*H56.3mm



M15-S15
Size: L1000*W24*H51.1mm


CONNETION MODULE



20 SERIES



M20 Luxe



M20 Neo




M20 Beam




M20 Aurora



M20 Aurora



M20 Aurora




M20 Aurora



M20-Glow



M20 Pulse



M20 Pulse



M20 Tube



M20 Boling



M20 Orbit



M20 Nova



M20 Beam



M20 Yelena



M20 Beam



M20 Rayne





Easy to insert




Press and remove from the track



Immediately ready to work

M20-Luxe



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-DFS-300	10W	3/4/5000K	Ra90	48V	700lm	305x21.6x42.8	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-DFS-600	20W	3/4/5000K	Ra90	48V	1400lm	605x21.6x42.8	□ WH	
M20-DFS-900	30W	3/4/5000K	Ra90	48V	2100lm	900x21.6x42.8		
M20-DFS-1200	40W	3/4/5000K	Ra90	48V	2800lm	1200x21.6x42.8		

Beam angle




Notes:

*For other options special request, please contact us.


For the most updated product information, please go to our website.




M20-Neo





Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M15-TB-300	6W	3/4/5000K	Ra90	48V	600lm	302xØ27.7	■ BK	No Dim, Dali, 0-10V,
M15-TB-600	12W	3/4/5000K	Ra90	48V	1200lm	602xØ27.7	□ WH	Bluetooth, Zigbee, Mijia




Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M20-Beam




Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-LB-6W	6W	3/4/5000K	Ra90	48V	480lm	111x21.6x42.8	■ BK	No Dim, Dali, 0-10V,
M20-LB-12W	12W	3/4/5000K	Ra90	48V	960lm	220x21.6x42.8	□ WH	Bluetooth, Zigbee, Mijia
M20-LB-18W	18W	3/4/5000K	Ra90	48V	1440lm	328x21.6x42.8		
M20-LB-24W	24W	3/4/5000K	Ra90	48V	1920lm	436x21.6x42.8		
M20-LB-36W	36W	3/4/5000K	Ra90	48V	2880lm	652x21.6x42.8		




Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M20-Aurora




Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-TL2-B-3W	3W	3/4/5000K	Ra90	48V	220lm	Ø30x110x126.5	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-TL2-B-5W	5W	3/4/5000K	Ra90	48V	280lm	Ø30x160x126.5	□ WH ■ BR	




Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M20-Aurora




Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-TL2-7W	7W	3/4/5000K	Ra90	48V	560lm	Ø45x143x126.5	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-TL2-12W	12W	3/4/5000K	Ra90	48V	960lm	Ø45x183x126.5	□ WH ■ BR	



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M20-Aurora



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-TL2-15W	15W	3/4/5000K	Ra90	48V	1200lm	Ø60x162x126.5	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-TL2-20W	20W	3/4/5000K	Ra90	48V	1600lm	Ø60x200x126.5	□ WH ■ BR	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M20-Aurora



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-TL-12W	12W	3/4/5000K	Ra90	48V	960lm	Ø49x188x126.5	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-TL-20W	20W	3/4/5000K	Ra90	48V	1600lm	Ø61x200.6x126.5	□ WH ■ BR	
M20-TL-30W	30W	3/4/5000K	Ra90	48V	2400lm	Ø75x200.6x126.5	■ BR	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M20-Glow



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-DFS-90D	20W	3/4/5000K	Ra90	48V	1400lm	307x322x42.8	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-DFS-90IN	20W	3/4/5000K	Ra90	48V	1400lm	330x330x42.8	□ WH	

Beam angle




Notes:

*For other options special request, please contact us.

For the most updated product information, please go to our website.




M20-Pulse



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-DFS2-6W	6W	3/4/5000K	Ra90	48V	420lm	111x22x106	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-DFS2-12W	12W	3/4/5000K	Ra90	48V	840lm	219x22x106	□ WH	

Beam angle




Notes:

*For other options special request, please contact us.

For the most updated product information, please go to our website.



M20-Pulse



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-LBF2-6W	6W	3/4/5000K	Ra90	48V	480lm	111x22x106	■ 砂黑 BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-LBF2-12W	12W	3/4/5000K	Ra90	48V	960lm	219x22x106	□ 砂白 WH	



Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M20-Tube



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-FM-9W	9W	3/4/5000K	Ra90	48V	720lm	Ø50x1000x135	■ BK □ WH	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M20-Boling



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-BL	10W	3/4/5000K	Ra90	48V	800lm	Ø100x166.4x135	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-BL2	10W	3/4/5000K	Ra90	48V	800lm	Ø100x1000x135	□ WH ■ GD	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M20-Orbit



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-HD-12W	12W	3/4/5000K	Ra90	48V	860lm	Ø50x171x135	■ BK □ WH ■ BR	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M20-Nova



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-PST-10W	8W	3/4/5000K	Ra90	48V	640lm	Ø42x150x135	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-PST-10Wx2	8Wx2	3/4/5000K	Ra90	48V	1440lm	Ø42x259x135	□ WH ■ BR	


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M20-Beam-B



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-LB2-12W	12W	3/4/5000K	Ra90	48V	960lm	220x22x43	■ BK □ WH	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M20-Yelena



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-LBF4-12W	12W	3/4/5000K	Ra90	48V	960lm	220x16.3x115	■ BK □ WH	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia


Beam angle



Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M20-Beam



Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-LBP-6W	6W	3/4/5000K	Ra90	48V	480lm	126.4x22X46	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-LBP-12W	12W	3/4/5000K	Ra90	48V	960lm	220x21.6X45	□ WH	
M20-LBP-18W	18W	3/4/5000K	Ra90	48V	1440lm	328x21.6X45		


Beam angle




Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.



M20-Rayne




Product Code	Watt	CCT	>CRI	Voltage	LUMEN	Product Size	Finish	System Options
M20-MB0-A	12W	3/4/5000K	Ra90	48V	960lm	Ø100x133.6x135	■ BK	No Dim, Dali, 0-10V, Bluetooth, Zigbee, Mijia
M20-MB0-B	12W	3/4/5000K	Ra90	48V	960lm	Ø100x1000x135	□ WH ■ GD	




Notes:
*For other options special request,please contact us.
For the most updated product information,please go to our website.




M20




S20
Size : 26.4X78.4X26.4mm




S20-1
Size : 26.4X78.4X26.4mm




S20-2
Size : 59X53.6X59mm




R20-1
Size : 53.5X47.3X57mm




R20-2
Size : 72X54.9X26.3mm




R20-2G
Size : 31X53X72mm




R20-4
Size : 32X56.3X42mm




R20-5
Size : 70.9X54.9X31.8mm



SM
Size : 26.4X26.4X26.4mm



RM
Size : 40.6X36.6X48.8



RM-4
Size : 31.3X32X42